

AD-A085 055

YALE UNIV NEW HAVEN CONN

DEPT OF ENGINEERING AND AP--ETC F/6 20/9

WAVE-PARTICLE INTERACTIONS ON RELATIVISTIC ELECTRON BEAMS. (U)

MAY 80 I B BERNSTEIN, J L HIRSHFIELD

N00014-79-C-0588

NL

UNCLASSIFIED

2

1 of 1

AD-A085 055



END

DATE

FILED

7-80

DTIC

ADA 085055

DDC FILE COPY

UNCLASSIFIED  
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

12

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 21	2. GOVT ACCESSION NO. AD-A085 055	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Wave-Particle Interactions on Relativistic Electron Beams		5. TYPE OF REPORT & PERIOD COVERED Summary 12/31/79- 6/1/80
7. AUTHOR(s) Ira B. Bernstein <sup>3ay</sup> L. Hirshfield		6. PERFORMING ORG. REPORT NUMBER 2
9. PERFORMING ORGANIZATION NAME AND ADDRESS Yale University Department of Engineering & Applied Science New Haven, CT 06520		8. CONTRACT OR GRANT NUMBER(s) N00014-79-0-0588
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research, Physics Program Code 800 N. Quincy Street 421 Arlington, VA 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 020-043
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) <b>LEVEL</b>		12. REPORT DATE May 16, 1980
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		13. NUMBER OF PAGES 3
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) (15) N00014-79-0-0588		15. SECURITY CLASS. (of this report) Unclassified
18. SUPPLEMENTARY NOTES Summary Rpt. 31 Dec 79-1 Jun 80		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Free Electron Laser Relativistic Beam Plasma Interaction		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		

DTIC  
ELECTRIC  
JUN 4 1980

**Wave Particle Interactions on Relativistic Electron Beams**

**Principal Investigators:** Ira B. Bernstein and J. L. Hirshfield  
Yale University  
Department of Engineering & Applied Science  
New Haven, CT 06520  
Ref: Contract N00014-79-0-0588

**Papers Prepared for Publication**

"Free-Electron Laser with a Strong Axial Magnetic Field," L. Friedland and J. L. Hirshfield, Phys. Rev. Lett. June (1980).

"Electron Beam Dynamics in Combined Guide and Pump Magnetic Fields For Free Electron Laser Applications, L. Friedland, submitted to Phys. Fluids (should have acceptance soon).

**Personnel:** Ira B. Bernstein, Professor of Applied Science  
Jay L. Hirshfield, Professor of Applied Science  
L. Friedland, Research Associate (no compensation from this contract)

**Other Government Sponsored Research with Which Principal Investigators are Associated**

**Ira B. Bernstein:** Topics in Theoretical Plasma Physics  
NSF Grant PHY78-08443  
July 1, 1978 - June 30, 1980  
\$29,900 FY 1979

Numerical Solution of the Fokker-Planck Equation  
DOE Contract EG-77-S-02-4349  
May 11, 1977 - October 31, 1980  
\$88,000 FY 1979

**Jay L. Hirshfield:** Ion Confinement in Laser-Initiated Vacuum Arcs  
DOE Contract EG-77-C-02-4363  
\$310,000 Feb. 16, 1977 - Feb. 15, 1980  
\$115,000 Feb. 16, 1980 - Feb. 15, 1981

Experiments with Waves on Relativistic Electron Beams  
AFOSR Grant 80-0025  
\$47,018 Oct. 1, 1979 - Sep. 30, 1980

Research on Gyrotrons  
ONR Contract N00014-80-C-0075  
\$314,195 Oct. 1, 1979 - Sep. 30, 1980

SUMMARY OF SCIENTIFIC PROGRESS TO DATE

Summaries are provided on the following topics:

1. Linearized Theory Including Axial Magnetic Field,

The linearized theory of the operation of a free electron laser consisting of a relativistic electron beam in a helical pump and axial confining magnetic fields has been formulated. An exact solution has been found for the case of a cold beam. The dispersion relation has been derived, analyzed, and examined numerically. For the case of very high frequency radiation and large beam energy it has been shown that the gain characteristics are not markedly changed from those calculated in the absence of the guide field.<sup>1</sup> At lower frequencies and energies additional regions of gain seem possible. A manuscript has been completed and is being prepared for distribution. Typical gain curves and line shapes are presented. Work is continuing on thermal effects.

2. Non-Linear Theory,

The non-linear theory of a steady state free electron laser amplifier consisting of a relativistic electron beam in helical pump and axial confining magnetic fields illuminated by monochromatic radiation has been formulated. The introduction of Lagrangian variables permits an exact integration of the continuity equation to express the current density at a general field point in terms of the current density at injection and the velocity at the field point in question. The axial electric field is found in a similar way by integrating Poisson's equation. The parallel momentum equation is reduced to an ordinary differential equation and permits the electron orbits to turn in the wave frame, corresponding as one advances along the beam in the direction of propagation to the development of multistreaming. The reduced equations, and the coupled wave equations for the transverse vector potential are being analyzed, and suitable numerical methods for their solution are being determined. Preliminary numerical studies are about to begin.

3. Quasi-Linear Theory and Single Particle Theory for Free Electron Laser with a Strong Axial Field

A quasi-linear theory of the steady free electron laser amplifier consisting of a helical pump and relativistic electron beam illuminated by a monochromatic wave has been formulated. A linearized WKB description is employed to describe the electromagnetic field, and the steady state density, mean velocity, etc. are determined correct to second order in the high frequency amplitude. The helical pitch is allowed to vary with position so as to keep the system in a configuration of maximum gain as the beam decelerates on converting its energy into radiation. The analysis of the results is continuing, numerical studies are underway, and a preliminary manuscript is being prepared.

<sup>1</sup>I. B. Bernstein and J. L. Hirshfield, Phys. Rev. A 20, 1661 (1979).

#### 4. Single-Particle Theory for Free Electron Laser With a Strong Axial Magnetic Field

A small-signal theory has been derived for gain in a free electron laser in the single-particle limit, i.e. where collective effects are negligible. The model free electron laser consists of a cold relativistic electron beam in a helical magnetic wiggler, and a strong uniform axial magnetic field. Exact finite-amplitude steady-state helical orbits are included. If perturbed, these orbits oscillate about equilibrium, so that substantial gain enhancement can occur if the electromagnetic perturbations resonate with these oscillations. This gain enhancement need not be at the cost of frequency up-shift. As a result one can design amplifiers which are shorter, and require much weaker wigglers, than the corresponding device without the axial magnetic field.

Accession For	
NTIS	GRA&I
DDC TAB	
Unannounced	
Justification	
By	
Dist	
Ant	
Dist	
A	